

## The Lotus Group - *feastrex* Retail Price List - January 2009

Driver Only	Type	Weight	Drivers Only	US Retail Each	US Retail per Pair
<b>D5nf</b>	Black	4.6 kg	Black Uni-clo plating finish iron yoke	<b>2150</b>	4300
<b>D5</b>		6.9kg	Monster alnico magnet drivers	<b>5575</b>	11150
<b>Nf 5ex</b>	Gold	5.1 kg	Naturflux Field Coil Driver	<b>2950</b>	5900
<b>D5e</b>	Type 1	7.2kg	Pure iron plate/pure iron yoke (all-in-one monocoque)	<b>5675</b>	11350
	Type 2	7.2kg	Plate & pole piece Permendur/pure iron hybrid structure	<b>Please Inquire</b>	
	Type 3	7.2kg	Permendur plate/Permendur yoke (all-in-one monocoque)	<b>Please Inquire</b>	
<b>D9nf</b>	Black	8.5	Black Uni-clo plating finish iron yoke	<b>3975</b>	7950
<b>D9</b>		13.1	Monster alnico magnet drivers	<b>11500</b>	23000
<b>D9e I</b>	Type 1	10.1kg	Plate & pole piece Permendur/pure iron hybrid structure	<b>6050</b>	12100
<b>D9e II</b>	Type 2	10.1kg	Plate & pole piece Permendur/pure iron hybrid structure	<b>Please Inquire</b>	
<b>D9e III</b>	Type 3	10.1kg	Permendur plate/Permendur yoke	<b>Please Inquire</b>	
<b>UBB5</b>	Bronze Basket		5" Bronze Basket W Urushi Lacquer - Option	<b>4150</b>	8300
			Machined Phosphor Bronze Basket - Upgrade for 9" drivers		
<b>UBB9</b>	Bronze Basket Urushi		W Urushi Lacquer Upgrade	<b>6500</b>	13000
<b>UPP5</b>	Urushi Upgrade for Phase plug		Urushi Lacquer Upgrade for Phase Plug for 5" drivers	<b>500</b>	1000
				<b>725</b>	
<b>UPP9</b>	Urushi Upgrade for Phase plug		Urushi Lacquer Upgrade for Phase Plug for 9" drivers	<b>650</b>	1300
<b>PB9</b>	9" Passive radiator		Passive Radiator	<b>1150</b>	2300
<b>PS-1</b>	Power Supply Kit	7.2kg	Variable Power Supply for Field Coil Drivers 10, 12 and 15 Volt Settings	<b>1950</b>	NA
<b>Feastrex Speakers</b>					
<b>DM-5nf</b>	Loudspeaker - Feastrex Cabinet w/ D5nf	16.7kg	Loudspeaker - Feastrex Cabinet w/ D5nf	<b>4350</b>	8700
<b>DM-5</b>	Loudspeaker - Feastrex Cabinet w/ D5-MA		Loudspeaker - Feastrex Cabinet w/ D5-MA	<b>7750</b>	15500
<b>DM-5e1</b>	Loudspeaker - Feastrex Cabinet w/ D53 Type I	20.5kg	Loudspeaker - Feastrex Cabinet w/ D53 Type I	<b>8250</b>	16500
<b>DM-5e2</b>	Loudspeaker - Feastrex Cabinet w/ D53 Type 2	20.5kg	Loudspeaker - Feastrex Cabinet w/ D53 Type 2	<b>Please Inquire</b>	
<b>DM-5e3</b>	Loudspeaker - Feastrex Cabinet w/ D53 Type 3	20.5kg	Loudspeaker - Feastrex Cabinet w/ D53 Type 3	<b>Please Inquire</b>	

## Acoustic Revive

Model	Description	US Retail
RCI-3	Cable Insulator	165
RD-3 (117V)	Disc Demagnetizer	450
RD-3 (230V)	Disc Demagnetizer	550
REM-8	EMF Cancellor	595
RGC-24	Grounding Conditioner	595
RGC-24EX	Extra Length up to 1.0 meter	265
RIO-5 (117V)	Tourmaline Negative-Ion Generator	695
RIQ-5010	Solid Natural Quartz Insulator (Smokey) - Set of 4	750
RIQ-5010W	Solid Natural Quartz Insulator - Set of 4	750
RL-30 MK-III	Multi Large Demagnetizer 117v version	2350
RL-30 MK-III	Multi Large Demagnetizer 230v version	2750
RR-77 (117V)	Low Frequency Ultra-sonic Generator	525
RR-77 (230V)	Low Frequency Ultra-sonic Generator 230v version	550
RTP-2ultimate	Ultimate Power Tap 2 UL taps)	1595
RTP-2ultimateAC	Ultimate Power Tap 2 UL taps) w/ 2.0 meter Power Reference Cable attached	2300
RTP-4ultimate	Ultimate Power Tap (4 UL taps)	2650
RTP-6ultimate	Ultimate Power Tap (6 UL taps)	3250
RWL-3	Room-Tuning Panel	1395
RBN-1	Banana Plugs - Set of 4	325
RYG-1	Compression Fit Spade Lugs - Set of 4	325
BSIP-2F	Vibration-Control Shorting-Pin (XLR)	165
BWA-4	Bi-wiring adaptor	160
CB-1DB	Wall-Housing for Receptacle	325
CFRP-1F	Carbon-Fiber Face Plate	275
CP-4	Chloroprene Insulator	28
CS-2F	Outlet Stabilization / Noise Reduction Plug w/fo.Q	225
CSF-4	New Resin sleeve w/ high carbon content 4mm - per meter	32
CSF-6	New Resin sleeve w/ high carbon content 6mm - per meter	35
CSF-10	New Resin sleeve w/ high carbon content 10mm - per meter	39
DBLP	Hybrid Disc Stabilizer	775
DBP-3	Spike-Coupling Insulator	225
FCS-8	Noise-Filter set	75
IP-2F	Vibration-Control Plug	95
PSA-100 PURE SILK	Pure Silk Sound Absorber (100gm)	68
PSA-100 PURE SILK	Pure Silk Sound Absorber (1 Kilo Bulk Pack)	625
QR-8	Quartz Resonators Set of 8	138
QR-8	Quartz Resonators 100 Bulk	1375
SIP-8F	Vibration-Control Shorting-Pin (RCA)	275
SPU8	Spike-Base for RSS-series (2 sets)	185
WS-1	Acoustic Conditioner	225
YST-64	Floor Speaker Platform	675
RSS-600	Anti-Vibration Speaker Stand - Pair	4150
RSS-805	Anti-Vibration Speaker Stand for B&W 805	5250
POWER MAXII	POWER CABLE 1.5m	850
(Oval PCOCC-A)	POWER CABLE 2.0m	950
	POWER CABLE 2.5m	1050
	POWER CABLE 3.0m	1150
POWER MAX 8800	30m/SPOOL	3950

<b>POWER</b>	Single-Core Power Cable, 1.5m	<b>700</b>
<b>REFERENCE</b>	Single-Core Power Cable, 2.0m	<b>825</b>
<b>(Oval PCOCC-A)</b>	Single-Core Power Cable, 2.5m	<b>1000</b>
<b>RCA-1.0PA</b>	Single-Core Line Cable(RCA), 1.0m	<b>995</b>
<b>RCA-1.5PA</b>	Single-Core Line Cable(RCA), 1.5m	<b>1350</b>
<b>RCA-2.0PA</b>	Single-Core Line Cable(RCA), 2.0m	<b>1650</b>
<b>RCA-2.5PA</b>	Single-Core Line Cable(RCA), 2.5m	<b>1950</b>
<b>XLR-1.0PA</b>	Single-Core Line Cable(XLR), 1.0m	<b>1050</b>
<b>XLR-1.5PA</b>	Single-Core Line Cable(XLR), 1.5m	<b>1450</b>
<b>XLR-2.0PA</b>	Single-Core Line Cable(XLR), 2.0m	<b>1725</b>
<b>XLR-2.5PA</b>	Single-Core Line Cable(XLR), 2.5m	<b>2125</b>
<b>COX-1.0PA</b>	Single-Core Digital Cable(RCA), 1.0m	<b>625</b>
<b>COX-1.5PA</b>	Single-Core Digital cable(RCA), 1.5m	<b>850</b>
<b>COX-2.0PA</b>	Single-Core Digital cable(RCA), 2.0m	<b>950</b>
<b>COX-2.5PA</b>	Single-Core Digital cable(RCA), 2.5m	<b>1150</b>
<b>AES-1.0PA</b>	Single-Core Digital Cable(XLR), 1.0m	<b>725</b>
<b>AES-1.5PA</b>	Single-Core Digital Cable(XLR), 1.5m	<b>950</b>
<b>AES-2.0PA</b>	Single-Core Digital Cable(XLR), 2.0m	<b>1100</b>
<b>AES-2.5PA</b>	Single-Core Digital Cable(XLR), 2.5m	<b>1300</b>
<b>SPC-PA</b>	Single-Core Speaker Cable - Per Meter - Bulk	<b>225</b>
<b>SPC-PA 2.0</b>	Single-Core Speaker Cable - Per Meter - 2.0 Meter Terminated	<b>1650</b>
<b>SPC-PA 3.0</b>	Single-Core Speaker Cable - Per Meter - 3.0 Meter Terminated	<b>2250</b>
<b>DSIX-1.0PA (RCA)</b>	Active Digital Cable (DC:12V), 1.0m With 117V or 230V AC-DC adaptor	<b>1195</b>
<b>DSIX-1.0BPA(XLR)</b>	Active Digital Cable (DC:12V), 1.0m With 117V or 230V AC-DC adaptor	<b>1375</b>
<b>DSIX series</b>	Extra Length 0.5 meter	<b>250</b>
<b>(Oval PCOCC-A)</b>	Extra Length 1.0 meter	<b>325</b>

**The Lotus Group** **Connectors and Receptacles** **415-897**

<b>Model</b>	<b>Description</b>	<b>Us Retail</b>
<b>Power Distribution</b>		
OCB1-EX	Oyaide SWO-DX Outlet - P-037 Plug - L/i50EX Cable	<b>440</b>
<b>MTB series</b>		
MTB-4 (DX)	2 SWO-DX duplexes Silver/Rhodium, Oyaide IEC inlet	<b>575</b>
MTB-4 (GX)	2 SWO-DX duplexes Gold/Palladium, Oyaide IEC inlet - Custom Order	<b>600</b>
MTB-4 (XXX)	2 SWO-DX duplexes Gold/Palladium, Oyaide IEC inlet - Custom Order	<b>635</b>
MTB-4 (R-1)	2 R-1 duplexes Beryllium Copper Oyaide IEC inlet - Custom Order	<b>695</b>
MTB-6 (DX)	3 SWO-DX duplexes Silver/Rhodium, Oyaide IEC inlet	<b>675</b>
MTB-6 (GX)	3 SWO-GX duplexes Gold/Palladium, Oyaide IEC inlet - Custom Order	<b>700</b>
MTB-6 (XXX)	3 SWO-XXX duplexes Gold/Palladium, Oyaide IEC inlet - Custom Order	<b>750</b>
MTB-6 (R-1)	3 R-1 duplexes Beryllium Copper, Oyaide IEC inlet - Custom Order	<b>800</b>
MT-UB	Chassis only - IEC Inlet	<b>275</b>
MT-UB	Chassis only - w/Cable Clamp Kit	<b>300</b>
MT-UB	Chassis only - Cable Clamp Kit	<b>25</b>
WPC-Z	Heavy Duty Aluminum Housing, Carbon Fiber Face Plate - Single Duplex	<b>225</b>
WPC-Z2	Heavy Duty Aluminum Housing, Carbon Fiber Face Plate Dual Duplex	<b>345</b>
<b>Power Receptacles</b>		
SWO-DX	Silver (1.5 micron) / Rhodium (0.3 micron)	<b>90</b>
SWO-GX	Direct Gold (2.0 micron)	<b>95</b>
SWO-XXX	Gold (1.5 micron) / Palladium (0.3 micron)	<b>99</b>
R-1	Beryllium Copper - Platinum / Palladium plated - 20 amp capable	<b>145</b>
SWO-DXe	Schuko Receptacle Silver (1.5 micron) / Rhodium (0.3 micron)	<b>115</b>
SWO-GXe	Schuko Receptacle Direct Gold (2.0 micron)	<b>120</b>
SWO-XXXe	Schuko Receptacle Gold (1.5 micron) / Palladium (0.3 micron)	<b>130</b>
<b>Power Plugs</b>		
P-029	Polished Brass	<b>65</b>
P-037	Silver (1.5 micron) / Rhodium (0.3 micron)	<b>95</b>
P-079	Direct Gold (2.0 micron)	<b>99</b>
P-046	Gold (1.5 micron) / Palladium (0.3 micron)	<b>105</b>
P-004	Beryllium Copper - Platinum / Palladium	<b>132</b>
P-004e - Schuko	Beryllium Copper - Platinum / Palladium	<b>220</b>
P-037e - Schuko	European Schuko Plug - Silver (1.5 micron) / Rhodium (0.3 micron)	<b>111</b>
P-079e- Schuko	European Schuko Plug - Direct Gold (2.0 micron)	<b>115</b>
P-046e- Schuko	European Schuko Plug - Gold (1.5 micron) / Palladium (0.3 micron)	<b>120</b>
M1	Platinum / Palladium Plating - Beryllium/Copper - AC Plug	<b>315</b>
M1e Schuko	Platinum / Palladium Plating - Beryllium/Copper - AC Plug	<b>385</b>
<b>IEC plug</b>		
4781 BSR	Silver (1.5 micron) / Rhodium (0.3 micron)	<b>55</b>
4781 PBG	Direct Gold (2.0 micron)	<b>55</b>
C-029	Polished Brass	<b>65</b>
C-037	Silver (1.5 micron) / Rhodium (0.3 micron)	<b>95</b>
C-079	Direct Gold (2.0 micron)	<b>99</b>
C-046	Gold (1.5 micron) / Palladium (0.3 micron)	<b>105</b>
C-004	Beryllium Copper - Platinum / Palladium	<b>132</b>
C-237	20 Amp IEC - Silver (1.5 micron) / Rhodium (0.3 micron)	<b>110</b>
C-279	20 Amp IEC - Direct Gold (2.0 micron)	<b>112</b>
C-246	20 amp IEC Gold (1.5 micron) / Palladium (0.3 micron)	<b>117</b>

IEC-CM (Chassis Mount Male)	Silver (1.5 micron) / Rhodium (0.3 micron)	14
<b>F1</b>	Platinum (0.5 micron) / Palladium (0.3 micron) Plating - Berrlyium/Copper - IEC Plug	<b>315</b>
<b>Model</b>	<b>Description</b>	<b>Us Retail</b>
<b>RCA plugs</b>		
SLSC-set of 4	Center pin 4n pure silver, Barrel Matte Silver / Rhodium plated	165
RCA-CF9.5 9.5 mm opening	Carbon Fiber Barrel - Gold (1.5 micron) / Palladium (0.3 micron) - Acrolink	850
RCA-CF11.5 11.5mm opening	Carbon Fiber Barrel - Gold (1.5 micron) / Palladium (0.3 micron) - Acrolink	850
<b>XLR plugs</b>		
Focus 1	Set of 4 XLR Plugs - Oyaide	275
CN-XLR60 - Acrolink	Deoxidized Phosphor Bronze - Direct Rhodium Plating	850
<b>BNC plugs</b>		
SLSB-set of 2	Center pin 4n pure silver, Outer Case Polished Brass Silver / Rhodium plated, outer case brass w/ 24k gold	85
BNC-CF - Acrolink	Carbon Fiber Barrel - Gold (1.5 micron) / Palladium (0.3 micron)	425
<b>Spades for speaker terminals</b>		
SPYT-set of 4	OFC Base Silver (2 micron) / Palladium (0.3 micron)	52
GYT-set of 4	Direct Gold (2.0 micron)	52
SRBN - Set of 4	Banana Plugs - Phosphor Bronze, Silver/Rhodium Plating	95
RYG-1 - set of 4	Compression Fit Sapde Lugs - Acoustic Revive	325
<b>Musical Instrument Plugs</b>		
P-275	1/4" Phone Plug Mono internal diameter : 7.5mm	11
P-285	1/4" Phone Plug Mono internal diameter : 8.5mm	11
P-385T	1/4" Phone Plug TRS internal diameter : 8.5mm	13
P-285L	1/4" Phone Plug Mono Right Angle internal diameter : 8.5mm	13
<b>Analog Accessories</b>		
<b>HS-CF</b>	Carbon Fiber Detachable Headshell	<b>230</b>
<b>HSR-AG</b>	Pure Silver Headshell Wires	<b>52</b>

**Oyaide Cables**

<b>Model</b>	<b>Description</b>	<b>Retail</b>
<b>Power Cables</b>		
Tunami GPX	PCOCC-A Ultra Pure Copper Power Cord with 3 layer shielding 1.8 meters - w 046 Connectors	<b>425</b>
	1.5 meters	<b>395</b>
	2.0 meters	<b>450</b>
	2.5 meters	<b>475</b>
	3.0 meters	<b>525</b>
	w/Schuko plug 1.8 meters	<b>420</b>
Tunami GPX - R	PCOCC-A Ultra Pure Copper Power Cord with 3 layer shielding 1.8 meters - w 004 Connectors	<b>495.00</b>
Tunami GPX - Re	Tunami GPX - Re Power Cable Schuko 1.8m	<b>585.00</b>
PA-22 ZX 1.3 meters	PCOCC-A Home Entertainment Power Cable with C-7 Connector 1.3m	<b>175.00</b>
PA-22 ZX 1.8 meters	PCOCC-A Home Entertainment Power Cable with C-7 Connector 1.8m	<b>195.00</b>
PA-22 ZX 3.0 meters	PCOCC-A Home Entertainment Power Cable with C-7 Connector 3.0m	<b>240.00</b>
PA-23 ZX 1.3 meters	PCOCC-A Power Cable - molded ends 3 pin AC & IEC 1.3 m	<b>185.00</b>
PA-23 ZX 1.8 meters	PCOCC-A Power Cable with molded ends 3 pin standard AC & IEC 1.8m	<b>210.00</b>
PA-23 ZX 3.0 meters	PCOCC-A Power Cable with molded ends 3 pin AC & IEC 3.0 Meters	<b>275.00</b>
L/i50 Exs - Oyaide	OFC Power Cable 11 gauge 1.8 meters	<b>325</b>
L/i15DPC	OFC Home Entertainment Power Cable with C-7 Connector	<b>145</b>
<b>Interconnect Cables</b>		<b>Retail</b>
PA-02TR RCA		
0.7 meter pair	PCOCC-A Ultra Pure Copper	<b>135</b>
1 meter pair	PCOCC-A Ultra Pure Copper	<b>148</b>
1.3 meter pair	PCOCC-A Ultra Pure Copper	<b>160</b>
3.0 meter pair	PCOCC-A Ultra Pure Copper	<b>250</b>
PA-02TX XLR		
0.7 meter pair	PCOCC-A Ultra Pure Copper	<b>135</b>
1 meter pair	PCOCC-A Ultra Pure Copper	<b>148</b>
1.3 meter pair	PCOCC-A Ultra Pure Copper	<b>160</b>
3.0 meter pair	PCOCC-A Ultra Pure Copper	<b>250</b>
Across 750RR RCA		
0.7 meter pair	PCOCC-A Ultra Pure Copper - Air Dielectric	<b>175.00</b>
1 meter pair	PCOCC-A Ultra Pure Copper - Air Dielectric	<b>190.00</b>
1.3 meter pair	PCOCC-A Ultra Pure Copper - Air Dielectric	<b>205.00</b>
Across 900 XX XLR		
0.7 meter pair	PCOCC-A Ultra Pure Copper - Air Dielectric	<b>275.00</b>
1 meter pair	PCOCC-A Ultra Pure Copper - Air Dielectric	<b>310.00</b>
1.3 meter pair	PCOCC-A Ultra Pure Copper - Air Dielectric	<b>345.00</b>
AR-910	Pure Silver Twin-ax w/Focus 1 XLR Connectors	

AR-910 0.7m pr.	Pure Silver Twin-ax w/Focus 1 XLR Connectors 0.7m pr.	<b>775.00</b>
AR-910 1.0m pr.	Pure Silver Twin-ax w/Focus 1 XLR Connectors 1.0m pr.	<b>895.00</b>
AR-910 1.3m pr.	Pure Silver Twin-ax w/Focus 1 XLR Connectors 1.3m pr.	<b>1025.00</b>

### Speaker Cables

OR 800 Advance - Oyaide	OFC Litz Speaker Cable	<b>Retail</b>
1.5m pair	OFC Litz Speaker Cable	<b>875.00</b>
2.0 meter pair	OFC Litz Speaker Cable	<b>1050.00</b>
2.5 meter pair	OFC Litz Speaker Cable	<b>1225.00</b>
3 meter pair	OFC Litz Speaker Cable	<b>1450.00</b>

### Digital Cables

DR-510 Digital Cable RCA 0.7m	5 nines Pure Silver Coax Digital Cable	<b>165</b>
DB-510 Digital Cable BNC 0.7m	5 nines Pure Silver Coax Digital Cable	<b>165</b>
DR-510 Digital Cable RCA 1.3m	5 nines Pure Silver Coax Digital Cable	<b>195</b>
DB-510 Digital Cable BNC 1.3m	5 nines Pure Silver Coax Digital Cable	<b>195</b>

### Phono Cables

PA-2075 DR	Phono Cable - 5 pin DIN to RCA 1.2m	<b>275.00</b>
PA-2075 RR	Phono Cable - RCA to RCA 1.0m	<b>250.00</b>

<b>Bulk Cables</b>		<b>Meters per Spool</b>	<b>Price of Reel Retail</b>
--------------------	--	-------------------------	-----------------------------

### Bulk Speaker Cable

Tunami Nigo	PCOCC-A Ultra Pure Copper Speaker Cable with 3 layer shielding	<b>30 meters</b>	<b>2475</b>
Tunami Nigo	PCOCC-A Ultra Pure Copper Speaker Cable with 3 layer shielding	<b>Per Meter</b>	<b>88</b>
Across 2000	PCOCC-A Ultra Pure Copper Speaker Cable with Cross Insulated Stabilizer	<b>30 meters</b>	<b>1485</b>
Across 2000	PCOCC-A Ultra Pure Copper Speaker Cable with Cross Insulated Stabilizer	<b>Per Meter</b>	<b>34</b>

### Bulk Power Cable

Tunami	PCOCC-A Ultra Pure Copper Power Cord with 3 layer shielding - 10 ga Less than 30 meter reel - per meter	<b>30 meters</b>	<b>2800</b> <b>98</b>
PA-023	PCOCC-A Ultra Pure Copper Power Cord with 3 layer shielding - 14 ga Less than 50 meter reel - per meter	<b>50 meters</b>	<b>2450</b> <b>54</b>
EE/F-S 2.6	PCOCC-A Ultra Pure Solid Core 10 Gauge Copper Power Cord Less than 100 meter reel - per meter	<b>100 meters</b>	<b>10950</b> <b>110</b>
EE/F-S 2.0	PCOCC-A Ultra Pure Solid Core 12 Gauge Copper Power Cord Less than 100 meter reel - per meter	<b>100 meters</b>	<b>6475</b> <b>70</b>

### Bulk Interconnect Cable

PA-02	PCOCC-A Ultra Pure Copper Interconnect Cable	<b>50 meters</b>	<b>1050</b>
PA-02	PCOCC-A Ultra Pure Copper Interconnect Cable	<b>Per Meter</b>	<b>26</b>
Across 750	PCOCC-A Ultra Pure Copper Interconnect Cable	<b>50 meters</b>	<b>1500</b>
SL110 AD	Balanced OFC 20 Gauge Copper Cable w/ copper outer braid & Copper Foil Shield	<b>50 meters</b>	<b>2075</b>

FTVS-408	0.8mm 4N pure silver conductor coax cable	<b>50 meters</b>	<b>1040</b>
FTVS-510	1.05mm 5N pure silver conductor coax cable	<b>50 meters</b>	<b>2750</b>
FTVS-510	1.05mm 5N pure silver conductor coax cable - per meter		<b>60</b>
FTVS-910	1.05mm 5N pure silver conductor X2 twin-ax cable - per meter		<b>220</b>
FTVS-910	1.05mm 5N pure silver conductor X2 twin-ax cable 50 meter Spool		<b>11100</b>

#### **Musical Instrument Cable**

PA-01	PCOCC-A Ultra Pure Copper Musical Instrument Cable 50 Meter Spool - Black	<b>50 meters</b>	<b>875</b>
PA-01	PCOCC-A Ultra Pure Copper Musical Instrument Cable Per Meter - Black		<b>22</b>
PA-01 H	PCOCC-A Ultra Pure Copper Musical Instrument Cable 50 Meter Spool - Purple	<b>50 meters</b>	<b>910</b>
PA-01 H	PCOCC-A Ultra Pure Copper Musical Instrument Cable Per Meter - Purple		<b>24</b>
PA-08	PCOCC-A Ultra Pure Copper 8 channel snake 50 Meter Spool	<b>50 meters</b>	<b>4650</b>
PA-01 PP 1.8	Guitar Cable w/ 1/4" phone plugs both ends 1.8 meters - Black		<b>65.00</b>
PA-01 PP 3.0	Guitar Cable w/ 1/4" phone plugs both ends 3.0 meters - Black		<b>82.50</b>
PA-01 PP 5.0	Guitar Cable w/ 1/4" phone plugs both ends 5.0 meters - Black		<b>115.00</b>
PA-01 H PP 1.8	Guitar Cable w/ 1/4" phone plugs both ends 1.8 meters - Purple		<b>65.00</b>
PA-01 H PP 3.0	Guitar Cable w/ 1/4" phone plugs both ends 3.0 meters - Purple		<b>85.00</b>
PA-01 H PP 5.0	Guitar Cable w/ 1/4" phone plugs both ends 5.0 meters - Purple		<b>120.00</b>

#### **Hookup Wire**

UL1430-22-BK/W	22 Gauge PCOCC-A Hookup Wire	<b>100 meters</b>	<b>110.00</b>
UL1430-18-BK/W	18 Gauge PCOCC-A Hookup Wire	<b>100 meters</b>	<b>215.00</b>
UL1430-16-BK/W	16 gauge PCOCC-A hookup wire	<b>100 meters</b>	<b>320.00</b>
1430-SY (AWG20-SY)	Shielded 20 Gauge PCOCC-A Hookup Wire	<b>100 meters</b>	<b>375.00</b>

## Audio Replas

<b>Model</b>	<b>Description Audio Replas</b>	<b>US Retail</b>
OPS-1 HR	LP Stabilizer	<b>2050</b>
TS OPT300 HR	Turntable Mat	<b>6095</b>
OPT 1 HR/4P	High Quality Quartz Insulator 20 X 10mm Set of 4	<b>325</b>
OPT 30 HG HR/3P	High Quality Quartz Insulator 30 X 10mm Set of 3	<b>625</b>
OPT 30HG 20HR/4P	High Quality Quartz Insulator 30 X 20mm Set of 3	<b>895</b>
CPC-35SZ	2 receptacle Collar	<b>525</b>
CPC-IEC39SZ	IEC Collar	<b>1195</b>
CPC-2SZ/HG	AC Receptacle Housing / HG	<b>1450</b>
CNS-7000SZ	Cable Stabilizer	<b>1025</b>
SCB-2SZ	Wall Plate 2 receptacle	<b>850</b>
SCB-4SZ	Wall Plate 4 receptacle	<b>1125</b>



6N-A2400 II	<b>875.00</b>
additional 0.5 meters	<b>150.00</b>

**Speaker Cables**

<b>6N-S7000</b> Speaker Cable 2m Pair	<b>3,995</b>
Additional Length; every 0.5m	<b>850</b>

<b>Bulk Cables Acrolink</b>	<b>Meters per Spool</b>	<b>Price of Reel Retail</b>
-----------------------------	-------------------------	-----------------------------

**Power Cable**

6N-P4030 - Acrolink	6 Nines Pure Stress Free Copper Power Cable 10 gauge - 50 Meter Spool Per meter - less than 50 meter spool	<b>50</b>	7500.00 160.00
---------------------	--	-----------	-------------------

6N-P4060F - Acrolink	6N copper wire: 2.6 mm X 2 wires (Solid Core) - 10 Gauge In Wall Length: 30 meters/reel Per meter - less than 30 meter spool	<b>30</b>	4450.00 160.00
----------------------	---	-----------	-------------------

**Interconnect Cable**

6N-A2200 II	0.18mm X 34 strands x 2 w/ copper foil shield	<b>100</b>	8450.00
6N-A2110 II	0.18mm x 21 strands x 2 with braided shield	<b>100</b>	9500.00

**Speaker Cable**

6N-S1052 - bulk speaker cable,	0.18mm x 50 strands x 2 50 Meter Spool	<b>50</b>	2350.00
6N-S1010 II - bulk speaker cable	14 gauge - 0.26mm x 37 strands x 2 Per meter - less than 50 meter spool	<b>50</b>	3750.00 80.00
6N-S1000 II - bulk speaker cable	14 gauge - w/ spacer - 0.26mm x 37 strands x 2	<b>50</b>	4600.00
6N-S1040 - bulk speaker cable	10 gauge - 0.26mm x 100 strands x 2	<b>50</b>	8250.00
6N-1400 II	10 gauge - w/spacer 0.26mm x 100 strands x 2	<b>30</b>	6550.00

**fo.Q**

<b>Model</b>	<b>Description</b>	<b>US Retail</b>
SH-21	A4 Sheet for Speakers (2mm X 2 sheets)	<b>135.00</b>
SH-22	A5 Sheet for Speakers (2mm X 2 sheets)	<b>80.00</b>
TA102	Tuning Absorber Tape (1mm x 2 sheets)	<b>75.00</b>
TA52	Tuning Absorber Tape (0.5mm x 2 sheets)	<b>62.50</b>
PA01F	Latex Coating for Tuning (50gm)	<b>47.50</b>
G53F	High End Spacer Set (3mm x 4 pieces)	<b>95.00</b>
G51	Spacer (1mm x 4 pieces)	<b>40.00</b>
RS912	Turntable Sheet Component	<b>175.00</b>
RS55	Disc Stabilizer	<b>250.00</b>
DS25	CD Stabilizer	<b>40.00</b>
AB4045R/S	Audio Board (Autumn Red & Sepia Black) New Ceramic & Wooden material	<b>650.00</b>
SB2025R/S	Speaker Under Board (For small speakers)	<b>725.00</b>
WR312	Audio Rack Hybrid Structure New Ceramic & Wooden material	<b>5750.00</b>
WR316	Audio Rack	<b>4250.00</b>
SB-01	Phone Art Sound Improvement Seal Silver/Black For Headphone, Earphone	<b>25.00</b>
SW-01	Phone Art Sound Improvement Seal Silver/White For Headphone, Earphone	<b>25.00</b>

<b>Prana Wire Price List - January 2009</b>					
<b>Deva Series - Pure Silver Ribbon</b>					
<b>Interconnects</b>	<b>RCA</b>	<b>XLR</b>	<b>Digital Interconnects</b>	<b>RCA</b>	<b>XLR</b>
1.0 meter pr	1525	1650	1.0 meter	850	925
1.5 meter pr	1875	2050	1.5 meter	1025	1100
2.0 meter pr	2225	2450	2.0 meter	1200	1275
2.5 meter pr	2575	2850	2.5 meter	1375	1450
3.0 meter pr	2925	3250	3.0 meter	1550	1625
please add \$350 for each additional 1/2 meter					
<b>Speaker Cable</b>					
1.0 meter pr	1775				
1.5 meter pr	2175				
2.0 meter pr	2575				
2.5 meter pr	2975				
3.0 meter pr	3375				
please add \$4000 for each additional 1/2 meter					
<b>Nataraja Series - Pure Silver Ribbon</b>					
<b>Interconnects</b>	<b>RCA</b>	<b>XLR</b>	<b>Digital Interconnects</b>	<b>RCA</b>	<b>XLR</b>
0.8 meter pr	2875	3075	1.0 meter	1450	1525
1.0 meter pr	3410	3650	1.0 meter	1700	1775
1.5 meter pr	3945	4225	1.5 meter	1950	2025
2.0 meter pr	4480	4800	2.0 meter	2200	2275
2.5 meter pr	5015	5375	2.5 meter	2450	2525
3.0 meter pr	5550	5950	3.0 meter	2700	2775
please add \$535 for each additional 1/2 meter			please add \$250 for each additional 1/2 meter		
<b>Speaker Cable</b>					
1.0 meter pr	3075				
1.5 meter pr	3775				

2.0 meter pr	4475				
2.5 meter pr	5175				
3.0 meter pr	5875				
please add \$700 for each additional 1/2 meter					
<b>Cosmos Series - Pure Silver Ribbon</b>					
<b>Interconnects</b>	<b>RCA</b>	<b>XLR</b>	<b>Digital Interconnects</b>	<b>RCA</b>	<b>XLR</b>
1.0 meter pr	4995	5250	1.0 meter	2650	2775
1.5 meter pr	6445	6700	1.5 meter	3375	3500
2.0 meter pr	7895	8150	2.0 meter	4100	4225
2.5 meter pr	9345	9600	2.5 meter	4825	4950
3.0 meter pr	10795	11050	3.0 meter	5550	5675
please add \$1450 for each additional 1/2 meter			please add \$725 for each additional 1/2 meter		
<b>Speaker Cable</b>					
1.0 meter pr	5550				
1.5 meter pr	7200				
2.0 meter pr	8850				
2.5 meter pr	10500				
3.0 meter pr	12150				
please add \$1650 for each additional 1/2 meter					
<b>Avatar Series - Pure Silver Ribbon</b>					
<b>Interconnects</b>	<b>RCA</b>	<b>XLR</b>			
1.0 meter pr	10975	11500			
1.5 meter pr	13500	14050			
2.0 meter pr	16025	16600			
2.5 meter pr	18550	19150			
3.0 meter pr	21075	21700			
please add \$2525 for each additional 1/2 meter					
<b>Speaker Cable</b>					

1.0 meter pr	11500			
1.5 meter pr	14625			
2.0 meter pr	17750			
2.5 meter pr	20875			
3.0 meter pr	24000			
please add \$3125 for each additional 1/2 meter				
<b>Revelation Power Cable Series</b>				
<b>Kensho - 7 Gauge Pure Copper</b>			<b>Satori - 7 Gauge Pure Copper</b>	
1.0 meter	1050		1.0 meter	1995
1.5 meter	1250		1.5 meter	2370
2.0 meter	1450		2.0 meter	2745
2.5 meter	1650		2.5 meter	3120
3.0 meter	1850		3.0 meter	3495
please add \$200 for each additional 1/2 meter			please add \$375 for each additional 1/2 meter	
			<b>Avatar - 4 Gauge Pure Copper</b>	
			1.0 meter	3950
			1.5 meter	4900
			2.0 meter	5850
			2.5 meter	6800
			3.0 meter	7750
			please add \$950 for each additional 1/2 meter	
<b>Samadhi Power Cable Series</b>				
<b>Samadhi - Pure Silver Solid Core</b>			<b>Maha Samadhi - Pure Silver Solid Core</b>	
<b>Power Cable - 13 Gauge Multiple Solid Core</b>			<b>Power Cable - 13 Gauge Multiple Solid Core</b>	
1.0 meter	2750		1.0 meter	3950
1.5 meter	3250		1.5 meter	4900
2.0 meter	3750		2.0 meter	5850
2.5 meter	4250		2.5 meter	6800
3.0 meter	4750		3.0 meter	7750
please add \$500 for each additional 1/2 meter			please add \$950 for each additional 1/2 meter	

<b>Vajra Series - Pure Silver Ribbon / Solid Core Hybrid</b>				
Phono Cable	Din / RCA	RCA / RCA		
1.0 meter	3550	3550		
1.5 meter	3975	3975		
2.0 meter	4400	4400		
2.5 meter	4825	4825		
3.0 meter	5250	5250		
Please add \$425 for each additional 1/2meter				
All prices subject to change without notice				

## Sound Mechanics

Model	US Retail
<b>Platforms</b>	
Performance	1500
PX 2000	975
Q-1	625
P-5 Speaker Platform	595
DC1 Dynamic Controller	195
Custom Size - Please Call for Quote	

## Racks

**PX Series - Please Call for Quote**  
**MX Series - Please Call for Quote**  
**TX Series - Please Call for Quote**

## Isolation Devices

C100 Metal Cone - Gold - Set of 3 Pieces	240
C101 Metal Base - Gold - Set of 3 Pieces	95
C200-3 Threaded Metal Cone - Chrome/Platinum - Set of 3 Pieces	325
C200-4 Threaded Metal Cone - Chrome/Platinum - Set of 4 Pieces	425
C201R-3 Brass Base - Rhodium - Set of 3 Pieces	140
C201R-4 Brass Base - Rhodium - Set of 3 Pieces	190
MC88 - Blackwood Cone - Set of 3 Pieces	240
C8 Walnut Cone - Set of 3 Pieces	125
C8 Beech Cone - Set of 3 Pieces	90
C4 Vibration Tranceiver - Platinum ea. Minimum order of 5 pieces	30
C4 Vibration Tranceiver - Gold ea. Minimum order of 5 pieces	10